



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
Lic# AT-2868

Regulatory Compliance Testing

1 of 4

Louie Louie BSBLLC000007.1

Sample ID: 2507NBL0311.0884

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 07/11/2025

Completed: 07/23/2025

Batch#: BSBLLC000007.1

Client

Port Orleans Brewing Company

Lic. #

4124 Tchoupitoulas St.

New Orleans, LA 70115



Summary

Test	Date Tested	Result
Cannabinoids	07/11/2025	Complete
Residual Solvents	07/15/2025	Complete
Microbials	07/15/2025	Complete
Mycotoxins	07/15/2025	Complete
Pesticides	07/15/2025	Complete
Heavy Metals	07/15/2025	Complete

Cannabinoids

Complete

4.534 mg/unit

Total THC

0.0013%

Δ^9 -THC

4.640 mg/unit

Total CBD

9.174 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	0.3526	0.529	ND	ND	ND
9R-HHC	0.3526	0.529	ND	ND	ND
(6aR,9S)-d10-THC	0.3526	0.529	ND	ND	ND
9S-HHC	0.3526	0.529	ND	ND	ND
CBC	0.3526	0.529	ND	ND	ND
CBCa	0.3526	0.529	ND	ND	ND
CBD	0.3526	0.529	4.640	0.01	0.0013
CBDa	0.3526	0.529	ND	ND	ND
CBDV	0.3526	0.529	ND	ND	ND
CBDVa	0.3526	0.529	ND	ND	ND
CBG	0.3526	0.529	ND	ND	ND
CBGa	0.3526	0.529	ND	ND	ND
CBN	0.3526	0.529	ND	ND	ND
CBNa	0.3526	0.529	ND	ND	ND
Δ^8 -THC	0.3526	0.529	ND	ND	ND
Δ^9 -THC	0.3526	0.529	4.534	0.01	0.0013
THCa	0.3526	0.529	ND	ND	ND
THCp	0.3526	0.529	ND	ND	ND
THCV	0.3526	0.529	ND	ND	ND
THCVa	0.3526	0.529	ND	ND	ND
Total THC			4.534	0.013	0.001
Total CBD			4.640	0.013	0.001
Total			9.174	0.026	0.003

Date Tested: 07/11/2025

1 mL = 0.996 g 352.584g

1 Unit = 12 fl oz; Testing Method: HPLC, CON-P-3000 Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/23/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
Lic# AT-2868

Louie Louie BSBLLC000007.1

Sample ID: 2507NBL0311.0884

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 07/11/2025

Completed: 07/23/2025

Batch#: BSBLLC000007.1

Client

Port Orleans Brewing Company

Lic. #

4124 Tchoupitoulas St.
New Orleans, LA 70115

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.099	0.029		ND	Tested	Fludioxonil	0.095	0.029		ND	Tested
Acephate	0.095	0.029		ND	Tested	Hexythiazox	0.095	0.029		ND	Tested
Acequinocyl	0.095	0.029		ND	Tested	Imazalil	0.095	0.029		ND	Tested
Acetamiprid	0.095	0.029		ND	Tested	Imidacloprid	0.095	0.029		ND	Tested
Aldicarb	0.095	0.029		ND	Tested	Kresoxim Methyl	0.095	0.029		ND	Tested
Azoxystrobin	0.095	0.029		ND	Tested	Malathion	0.095	0.029		ND	Tested
Bifenazate	0.095	0.029		ND	Tested	Metalaxyl	0.095	0.029		ND	Tested
Bifenthrin	0.095	0.029		ND	Tested	Methiocarb	0.095	0.029		ND	Tested
Boscalid	0.095	0.029		ND	Tested	Methomyl	0.095	0.029		ND	Tested
Captan	0.667	0.200		ND	Tested	Mevinphos	0.095	0.029		ND	Tested
Carbaryl	0.095	0.029		ND	Tested	MGK-264	0.095	0.029		ND	Tested
Carbofuran	0.095	0.029		ND	Tested	Myclobutanil	0.095	0.029		ND	Tested
Chlorantraniliprole	0.095	0.029		ND	Tested	Naled	0.238	0.072		ND	Tested
Chlorfenapyr	0.076	0.029		ND	Tested	Oxamyl	0.095	0.029		ND	Tested
Chlormequat	0.095	0.029		ND	Tested	Paclobutrazol	0.095	0.029		ND	Tested
Chlorpyrifos	0.095	0.029		ND	Tested	Methyl Parathion	0.076	0.029		ND	Tested
Clofentezine	0.095	0.029		ND	Tested	Pentachloronitrobenzene	0.076	0.029		ND	Tested
Coumaphos	0.095	0.029		ND	Tested	Permethrins	0.095	0.029		ND	Tested
Cyfluthrin	0.476	0.143		ND	Tested	Phosmet	0.095	0.029		ND	Tested
Cypermethrin	0.476	0.143		ND	Tested	Piperonyl Butoxide	0.095	0.029		ND	Tested
Daminozide	0.952	0.286		ND	Tested	Prallethrin	0.095	0.029		ND	Tested
Diazinon	0.095	0.029		ND	Tested	Propiconazole	0.095	0.029		ND	Tested
Dichlorvos	0.048	0.015		ND	Tested	Propoxur	0.095	0.029		ND	Tested
Dimethoate	0.095	0.029		ND	Tested	Pyrethrins	0.476	0.143		ND	Tested
Dimethomorph I	0.067	0.021		ND	Tested	Pyridaben	0.095	0.029		ND	Tested
Dimethomorph II	0.025	0.008		ND	Tested	Spinetoram	0.095	0.029		ND	Tested
Ethoprophos	0.095	0.029		ND	Tested	Spinosad	0.097	0.029		ND	Tested
Etofenprox	0.095	0.029		ND	Tested	Spiromesifen	0.095	0.029		ND	Tested
Etoxazole	0.095	0.029		ND	Tested	Spirotetramat	0.095	0.029		ND	Tested
Fenhexamid	0.095	0.029		ND	Tested	Spiroxamine	0.095	0.029		ND	Tested
Fenoxycarb	0.095	0.029		ND	Tested	Tebuconazole	0.095	0.029		ND	Tested
Fenpyroximate	0.095	0.029		ND	Tested	Thiacloprid	0.095	0.029		ND	Tested
Fipronil	0.095	0.029		ND	Tested	Thiamethoxam	0.095	0.029		ND	Tested
Flonicamid	0.095	0.029		ND	Tested	Trifloxystrobin	0.095	0.029		ND	Tested

Date Tested: 07/15/2025

Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/23/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
Lic# AT-2868

Regulatory Compliance Testing

3 of 4

Louie Louie BSBLLC000007.1

Sample ID: 2507NBL0311.0884

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 07/11/2025

Completed: 07/23/2025

Batch#: BSBLLC000007.1

Client

Port Orleans Brewing Company

Lic. #

4124 Tchoupitoulas St.

New Orleans, LA 70115

Microbials

Complete

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga toxin-producing E. Coli	31.62	ND	Tested
Salmonella	31.73	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	29.78	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 07/15/2025

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 07/15/2025

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.099		ND	Tested
Cadmium	0.049	0.099		ND	Tested
Lead	0.049	0.099		ND	Tested
Mercury	0.049	0.099		ND	Tested
Palladium	0.049	0.247		ND	Tested
Selenium	0.049	0.099		ND	Tested

Date Tested: 07/15/2025

Testing Method: ICP/MS, CON-P-7000



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/23/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
Lic# AT-2868

Louie Louie BSBLLC000007.1

Sample ID: 2507NBL0311.0884

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 07/11/2025

Completed: 07/23/2025

Batch#: BSBLLC000007.1

Client

Port Orleans Brewing Company

Lic. #

4124 Tchoupitoulas St.
New Orleans, LA 70115

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	75.000	250.000		ND	Tested
Benzene	0.300	1.000		ND	Tested
n-Butane	69.000	230.000		ND	Tested
Isobutane	69.000	230.000		ND	Tested
Ethanol	75.000	250.000		1303.708	Tested
Ethyl Acetate	75.000	250.000		ND	Tested
Heptane	75.000	250.000		ND	Tested
n-Hexane	1.500	5.000		ND	Tested
2,2-Dimethylbutane	1.500	5.000		ND	Tested
3-Methylpentane	1.500	5.000		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.000	10.000		ND	Tested
Methanol	30.000	100.000		ND	Tested
Isopentane	69.000	230.000		ND	Tested
n-Pentane	30.000	100.000		ND	Tested
Neopentane	69.000	230.000		ND	Tested
2-Propanol	75.000	250.000		ND	Tested
Propane	300.000	1000.000		ND	Tested
Toluene	0.150	0.500		ND	Tested
Ethylbenzene	0.150	0.500		ND	Tested
m/p-Xylene	0.150	0.500		ND	Tested
o-Xylene	0.150	0.500		ND	Tested

Date Tested: 07/15/2025

Testing Method: HS-GC/MS, CON-P-8000



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/23/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000